

FIVE BOW - FB

Suspended
Wall
Surface




FIVE BOW - FB


Suspended, Wall, Surface

ZALITE

Dimensions



Distribution



FIVE BOW - FB


Suspended, Wall, Surface




1. Base Model

FB-SD	Suspended (Direct)
FB-WMD	Wall Mounted (Direct)
FB-WMI	Wall Mounted (Indirect)
FB-SM	Surface Mounted


FB-SD
Suspended Direct




FB-SM
Surface Mount



FB-WMD
Wall Mount Direct



FB-WMI
Wall Mount Indirect



2. Run Length

Enter total linear length, (example: 6M)

3. Lamping

STD - **xxxxK** (example: STD-4000K) Standard Output, LED 20 W/M, 2600 delivered lm/M, 109 lm/W @ 4000K

HI - **xxxxK** (example: HI-4000K) High Output, LED 30 W/M, 3600 delivered lm/M, 103lm/W @ 4000K

CCT: 3000K 3500K 4000K Option: 2700K 5000K 5700K 6500K

CV - **xxxxK**

Additional LED Options

Constant Voltage (for custom lengths) - 12Vdc/24Vdc

Contact factory for detail

TW

Tunable White (2700K - 6500K)

Contact factory for detail

RGBW - **xxxxK**

Standard Output - RGB+WHITE - 12Vdc/24Vdc

Contact factory for detail

4. Driver

0/1-10V 0/1-10V dimming

DALI DALI dimming

DMX DMX dimming

NONDIM Non-dimmable

OTHER (Consult factory for options)

FIVE BOW - FB

Suspended, Wall, Surface

ZALITE

5. Lens

FLAT	Flat Lens (LED only)
DROP	Drop Lens



6. Finish

AL	Standard, natural aluminum
BK	Black powdercoat
WH	White powdercoat
Custom	Custom Color

7. Additional options

EM	1.5 hour Emergency Kit
MS	Motion sensor
Others	Contact factory

FIVE BOW - FB

Suspended, Wall, Surface

ZALITE

Housing

100% recyclable, extruded architectural grade T6063 aluminum

Emergency

Luminaires can be wired for emergency circuit and/or emergency battery backup. Consult factory for options.

Options

Mitered Corners

Consult factory for mitered corner angle options.


Finish

Standard finish is "Ultimate" aluminum - a smooth, clean and durable finish achieved from a deep-etch and two step clear anodizing process.

White, Black, Custom powdercoat options also available.




Suspension & Power



Mitered Corners



WH - WHITE



AL - ALUMINUM



BK - BLACK



Custom / ____

Default canopy finish is to match fitting color, unless otherwise specified



ISO 9001:2015